

Material Safety Data Sheet

Hydrogen WestAir Gases & Equipment Inc.

WestAir Gases & Equipment Inc 2506 Market St San Diego, CA 92102 619-239-7571 http://westairgases.com

Section 1: Product and Company Identification

WestAir Gases & Equipment Inc.

2506 Market St San Diego, CA 92102 619-239-7571 http://westairgases.com

Product Code: Hydrogen

Chemical Substance	Chemical Family	Trade Names
HYDROGEN	inorganic, gas	HYDROGEN GAS; HYDROGEN COMPRESSED; HYDROGEN (H2); DIHYDROGEN; UN 1049; H2

Section 2: Hazards Identification

Description	Main Health Hazard
Colorless, odorless	Difficulty breathing
Flammable gas. May cause flash fire.	

Likely Routes of Exposure:

Inhalation	Ingestion	Eye	Skin	Health Effects	Target Organs	Medical Condition Aggravated by -
Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, convulsions, unconsciousness, coma	Ingestion of a gas is unlikely	Not irritating	Not irritating	Difficulty breathing	Respiratory system	Pre-existing conditions of the respiratory system

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: Composition/Information on Ingredients

CAS # 1333-74-0

Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

WestAir Gases & Equipment Inc. Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved page 1 of 4

Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon dioxide, regular dry chemical Large fires: Flood with fine water spray.	None known	 Any self-contained breathing apparatus with a full face piece. Any self-contained breathing apparatus with a full face piece.

Section 6: Accidental Release Measures

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry.	Avoid heat, flames, sparks and	Reduce vapors with water spray.
Do not touch spilled material. Ventilate closed spaces before entering.	other sources of ignition.	Remove sources of ignition.

Methods for Cleanup	Other Information
Stop leak if possible without personal risk.	None

Section 7: Handling and Storage

Handling	Storage
Store and handle in accordance with all current regulations and standards. Grounding and bonding required.	Keep separated from
Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines
HYDROGEN: ACGIH (simple asphyxiant)

Engineering Controls

No specific controls are needed.

Eye Protection	Skin Protection	Respiratory Protection
Eye protection not required, but	Protective clothing is not	Any self-contained breathing apparatus with a full face
recommended.	required.	piece.

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Flammable gas (burns at all ambient temperatures)	Not available	Not available	752 F (400 C)	0.75	0.04

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	pН	Odor Threshold	Evaporation Rate	Viscosity
-423 F (-253 C)	-434 F (- 259 C)	760 mmHg @ -253 C	0.07	Not applicable	1.82% @ 20 C	Not applicable	Not available	Not applicable	0.008957 cP @ 26.8 C

WestAir Gases & Equipment Inc. Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
2	H2	0.08987 g/L @ 0 C	Not available	Not available	Not applicable	Soluble: Not available

Section 10: Stability and Reactivity

Stability	Conditions to Avoid	Incompatible Materials
Stable at normal	Stable at normal	Metals, oxidizing materials, metal oxides, combustible materials, halogens, metal salts,
temperatures and	temperatures and	halo carbons, nitrogen triflouride, oxygen diflouride, magnesium and calcium carbonate,
pressure.	pressure.	sodium, potassium

Hazardous Decomposition Products	Possibility of Hazardous Reactions
Miscellaneous decomposition products	Will not polymerize.

Section 11: Toxicology Information

Acute Effects

Oral LD50	Dermal LD50	Inhalation
Not available	Not available	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, convulsions, unconsciousness, coma

Eye Irritation	Skin Irritation	Sensitization
Not irritating	Not irritating	Difficulty breathing

Chronic Effects

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Not available	Not available	Not available	No data

Section 12: Ecological Information

Fate and Transport

. 410 4114 114110 011			
Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: Not available	Not available	Not available	Not available
Invertibrate toxicity: Not available			
Algal toxicity: Not available			
Phyto toxicity: Not available			
Other toxicity: Not available			

Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Hydrogen, compressed	UN1049	2.1	Not applicable	2.1	Forbidden	150 kg	None

Canadian Transportation of Dangerous Goods

Shipping Name	UN Number	Class	Packing Group / Risk Group
Hydrogen, compressed	UN1049	2.1	Not applicable

Section 15: Regulatory Information

U.S. Regulations

CERCLA Sections	SARA 355.30	SARA 355.40
Not regulated.	Not regulated.	Not regulated.

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	Yes	No	Yes

SARA 372.65

Not regulated.

OSHA Process Safety

Not regulated.

State Regulations

CA Proposition 65
Not regulated.

Canadian Regulations

WHMIS Classification
A, B1.

National Inventory Status

US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Listed on inventory.	Not listed.	Listed on inventory.

Section 16: Other Information

NFPA Rating

HEALTH=0 FIRE=4 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard