Material Safety Data Sheet 11

Conforms to ANSI Z-400.1-1993

1119

13300 East Nelson Avenue City of Industry, CA 91746

(800) 446-1888

Chemtel 24 Hour Emergency Response (800) 255-3924

1	Chemical	<b>Product</b>	and	Company	Identification
---	----------	----------------	-----	---------	----------------

Product: Trend ES Classification: Environmental Floor Stripper A30

## 2 Composition/Information on Hazardous Ingredients

Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Ethanolamine	141-43-5	<12	3 ppm	3 ppm	
Benzl Alcohol	100-51-6	< 10	N/E	N/E	
Propylene Glycol Monobutyl Ether	5131-66-8	<8	N/E	N/E	

#### 3 Hazards Identification

Emergency Overview: Irritant. Causes skin and severe eye irritation. Avoid contact with skin and eyes.

Contact with Eyes: This product is destructive to eye tissues. Will cause burns that result in damage to the eyes and

even blindness if the solution remains in contact with the eye for a prolonged period.

Contact with Skin: Repeated or prolonged contact with skin may cause irritation, drying and/or dermatitis.

Skin Absorption: No data.

Ingestion Symptoms: Swallowing will irritate throat, esophagus and digestive tract. Product may cause burns to mucous

membranes of the mouth, throat, esophagus and stomach.

Inhalation Symptoms: Airborne concentrations of mist/vapor may cause damage to the upper respiratory tract and even

lung tissue. If the product is heated, vapors are acutely toxic.

Chronic Effects: Respiratory tract damage may result in increased succeptability to respiratory illness. Excessive

inhalation exposure may result in liver and kidney injury.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

## 4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

**Skin:** If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

**Inhalation:** If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical attention.

**Ingestion:** If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

10/12/2011 | 0001 | 1119 Trend ES Page 1 of 3

## 5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

# **Special Fire Fighting Procedures:**

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

#### **Unusual Fire and Explosion Hazards:**

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

#### 6 Accidental Release Measures

## Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

## **Small Spills:**

Mop up spill and rinse area.

# 7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

# 8 Exposure Controls/Personal Protection

#### **Ventilation and Engineering Controls:**

Local exhaust

# **Respiratory Protection:**

None

#### **Protective Gloves:**

Rubber Gloves

#### **Eye Protection:**

Chemical Splash Goggles

#### Other Protective Equipment:

10/12/2011 0001 1119 Trend ES Page 2 of 3

9 Physical and Chemical Properties											
Boiling Point(F°):	>212°F	Solubility in Water:	Complete	Odor:	Mild						
Specific Gravity:	1.01	Volatiles(% by Wt.):	91	pH:	< 11.5						
Appearance:	Clear	Vapor Density:	>1	VOC:	<100 g/L						
<b>Evaporation Rate:</b>	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	<32°F						
	< means less than > means greater than										
	These physical data are typical values based on material tested but may vary from sample to sample.  Typical values should not be construed as a guaranteed analysis of any specific lot or as specific items.										
10 Stability and Re		The be concluded as a guarantee	sa analysis or any s								
Stability: Stable		Conditions to Avoid: Heat									
Materials to Avoid	: Strong Aci	ids									
Hazardaya Dag	mnosition	Productor									
Hazardous Deco	-										
Oxides of Carbon	and minoger	ı									
Hazardous Polyme	erization:										
Will Not Occur	nization.										
	f 1										
11 Toxicological In											
No Toxicology Inforr		ailable.									
12 Ecological Infor	mation										
No data available.											
13 Disposal Consid	derations										
Waste Disposal Me											
Dispose of waste	in accordan	ce with federal, state and local re	egulations								
14 Transport Inforr	nation										
HAZMAT: No	Haza	rd Code: N/A	D Number: N/A	Hazard Class	: N/A						
Hazardous Divisio	n: None			Packaging Group	: N/A						
Hazardous Conten				. acmaging croup	,, .						
15 Regulatory Info	rmation										
Proposition 65: No	ot Listed.										
* This product is subject to the reporting requirements of SARA Title III.											
EPA: No											
16 Other Information	on										
HMIS/NFPA Hazard Rating: Health 2 Flammability 0 Reactivity 0											
The information contained herein is based on the data available to us. It is believed to be correct. No warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Maintex, Inc.											
MSDS Approval Date: 1/1/2013											
10/12/2011 000	1119	]		Trend ES	Page 3 of 3						